



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/606,961	06/29/2000	James P. Rodrigues	MS 150530.1/40062.69US01	7182
7590 04/08/2005 Merchant & Gould PC P O Box 2903 Minneapolis, MN 55402-0903			EXAMINER KISS, ERIC B	
			ART UNIT 2192	PAPER NUMBER

DATE MAILED: 04/08/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 09/606,961	<b>Applicant(s)</b> RODRIGUES ET AL.	
	<b>Examiner</b> Eric B. Kiss	<b>Art Unit</b> 2192	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 09 November 2004.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

1. The reply filed 9 November 2004 has been received and entered. Claims 1-27 are pending.

#### ***Response to Arguments***

2. Applicant's arguments filed 9 November 2004 have been fully considered but they are not persuasive.

In response to Applicant's arguments regarding the applied teachings of *Roediger et al.*, the Examiner maintains that *Roediger et al.* teaches permanently inserted performance markers. As disclosed, for example, in col. 3, lines 16-28 and col. 8, lines 32-37, *Roediger et al.* teaches a low-overhead instrumentation with a profile enabling mechanism that allows the collection of performance data to be enabled/disabled. Thus, when performance data collection is not desired, the inserted performance markers (instrumentation) are still part of the code, but are disabled.

#### ***Claim Rejections - 35 USC § 103***

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
4. Claims 1-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,158,049 to Goodwin et al. in view of U.S. Patent No. 6,349,406 to Levine et al. and further in view of U.S. Patent No. 5,960,198 to Roediger et al.

As per claim 1, *Goodwin et al.* disclose a computing system (see Fig. 1) for obtaining run-time internal state data within an application program, the computing system comprising:

a init module for determining if the run-time internal state data is to be collected during the operation of the application program (see registry entry description in column 10, line 59 through column 11, line 42);

a performance code marker module for obtaining and storing the run-time internal state data for later retrieval (see column 6, lines 46-64); and

an uninit module for formatting and storing the obtained run-time internal state data into memory that permits retrieval after the termination of the application program (profile data is stored in a profile optimizer database; see column 6, lines 50-52);

wherein

the init module is executed before any run-time internal state data is collected (the application program is instrumented before it is executed); and

the performance code marker module is executed each time run-time internal state data is to be collected (profile data is generated during execution; see Fig. 2).

*Goodwin et al.* fail to expressly disclose the uninit module being executed after all run-time internal state data desired has been collected. However, *Levine et al.* teach formatting and storing obtained run-time internal state data after tracing is finished (sending buffer contents to a file and generating a report; see Figs. 4 and 6 and the associated text in columns 9 and 11).

Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to modify the system of *Goodwin et al.* to include formatting and storing obtained run-time internal state data after tracing is finished as per the teaching of *Levine*

*et al.* One would be motivated to do so to reduce computational overhead while executing a debugger process.

*Goodwin et al.* fail to expressly disclose the predefined points corresponding to permanently inserted performance markers. However, *Roediger et al.* teach the insertion of instrumentation into code along with a profiling bit that can be enabled and disabled, allowing the instrumentation to be present in the code even when profiling is not desired (see, for example, col. 8, lines 15-37). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to further modify the system of *Goodwin et al.* to include permanently inserted performance markers as per the teachings of *Roediger et al.* One would be motivated to do so to gain the advantages of retaining performance-monitoring features while reducing overhead associated with those features.

As per claim 2, *Goodwin et al.* further disclose the init module determining if run-time internal state data is to be collected (see registry entry description in column 10, line 59 through column 11, line 42). Therefore, for reasons stated above, such a claim also would have been obvious.

As per claims 3 and 4, *Goodwin et al.* further disclose the init module making the determination that run-time internal state data is to be collected by checking for the existence of an identification key within a system registry and checking for the existence of processing modules identified by the identification key (the registry key points to the instrumented executable and instructs the operating system to run the instrumented version; see column 11, lines 16-42; if the instrumented module identified by the system registry does not exist, it is

inherent that tracing will not proceed). Therefore, for reasons stated above, such claims also would have been obvious.

As per claim 5, *Goodwin et al.* further disclose the performance code marker module collecting run-time internal state data only if the init module has determined that the run-time internal state data is to be collected (if the registry key instructing the operating system to run the instrumented executable is not present, the operating system executes the non-instrumented version; see column 10, line 59 through column 11, line 42). Therefore, for reasons stated above, such claims also would have been obvious.

As per claims 6-8, in addition to the disclosure and teachings applied above, *Goodwin et al.* further disclose generating, storing, and retrieving a performance data record containing the collected-run time internal state data (profile data is stored in a profile optimizer database as records; see column 6, lines 50-52). Therefore, for reasons stated above, such claims also would have been obvious.

As per claims 9, 10, and 12, *Goodwin et al.* fail to expressly disclose the run-time internal state data comprising benchmark timing data, memory usage data, and open file usage data. However, *Levine et al.* further teach the use of a trace tool to gather such data (see column 15, lines 1-10; and column 17, lines 26-35; benchmark timing data and memory usage are furthermore considered to be related to the state of the currently open files). Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to further modify the system of *Goodwin et al.* to include gathering and processing benchmark timing data and memory usage data as per the teachings of *Levine et al.* One would be motivated to do so to be able to determine how and when system resources are being used.

As per claim 11, *Goodwin et al.* disclose run-time internal state data comprising system registry usage data (see column 10, lines 63-67). Therefore, for reasons stated above, such claims also would have been obvious.

As per claim 13, *Goodwin et al.* disclose a method for obtaining run-time internal state data within an application program, the method comprising:

inserting one or more code markers into the application program at locations within the application program corresponding to the point at which run-time internal state data is desired (instrumenting the code; see column 10, lines 40-51);

determining if run-time internal state data is to be collected at each code marker by checking for the existence of processing modules identified by an identification key within a system registry (see registry entry description in column 10, line 59 through column 11, line 42);

if the run-time internal state data is to be collected at each code marker:

generating a performance data record containing the collected run-time internal state data each time the code markers are reached (see column 6, lines 46-64);

*Goodwin et al.* fail to expressly disclose storing the performance data records within a data memory block within the processing modules and retrieving the performance data records from the data memory block for transfer to a mass storage device once all of the run-time internal state data has been collected. However, *Levine et al.* teach the use of a trace data buffer allocated by the trace processor for storing trace data generated during a debugging process and outputting the data from the buffer to a file for post-processing after tracing is complete (see Fig. 6 and its associated text in column 11). Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to modify the method of

Art Unit: 2192

*Goodwin et al.* to include storing performance data records in a data memory block within a processing module for subsequent transfer to a mass storage device upon completion of tracing as per the teachings of *Levine et al.* One would be motivated to do so to reduce computational overhead while executing a debugger process.

*Goodwin et al.* fail to expressly disclose the predefined points corresponding to permanently inserted performance markers. However, *Roediger et al.* teach the insertion of instrumentation into code along with a profiling bit that can be enabled and disabled, allowing the instrumentation to be present in the code even when profiling is not desired (see, for example, col. 8, lines 15-37). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to further modify the system of *Goodwin et al.* to include permanently inserted performance markers as per the teachings of *Roediger et al.* One would be motivated to do so to gain the advantages of retaining performance-monitoring features while reducing overhead associated with those features.

As per claims 14-17, see the rationale applied above with respect to claims 9-12.

As per claim 18, this is a product version of the claimed method discussed above (claim 13). Furthermore, such a computer-readable product is inherently required by the system of *Goodwin et al.*, and all other limitations have been addressed as set forth above. Therefore, for reasons stated above with respect to claim 13, such a claim also would have been obvious.

As per claims 19 and 20, see the rationale applied above with respect to claims 3 and 4.

As per claim 21, *Goodwin et al.* fail to expressly disclose the data memory block being within the processing module. However, *Levine et al.* teach the use of a trace data buffer allocated by the trace processor for storing trace data generated during a debugging process.



Art Unit: 2192

Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to further modify the product of *Goodwin et al.* to include the data memory block being within the processing module as per the teaching of *Levine et al.* One would be motivated to do so to reduce computational overhead while executing a debugger process.

As per claims 22-25, see the rationale applied above with respect to claims 9-12.

As per claim 26 and 27, as admitted prior art, it was well known and practiced at the time the invention was made to encode computer program instructions on such computer-readable storage media and propagated signals on carriers for the purpose of storing and transmitting the instructions during their implementation. Therefore, it would have been obvious to one having ordinary skill in the computer art at the time the invention was made to further modify the product of *Goodwin et al.* to include such storage media and propagated signals as they are well-suited to embodying such program instructions.

### *Conclusion*

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 2192

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


6. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Eric B. Kiss whose telephone number is (571) 272-3699. The Examiner can normally be reached on Tue. - Fri., 7:00 am - 4:30 pm. The Examiner can also be reached on alternate Mondays.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Tuan Dam, can be reached on (571) 272-3695. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature should be directed to the TC 2100 Group receptionist: 571-272-2100.

EBK /EBK  
March 24, 2005

  
WEI Y. ZHEN  
PRIMARY EXAMINER